

#### FOR USE BY PEST MANAGEMENT PROFESSIONALS

How it works: The NUVAN PROSTRIPS<sup>+</sup> utilizes controlled release technology to slowly diffuse a deep penetrating vapor in enclosed spaces for up to 4 months. The clean, odorless vapor is evenly distributed throughout the enclosed treatment area, killing visible and hidden insects on contact and preventing new insect infestations (while you're away).

#### **ACTIVE INGREDIENT:**

Dichlorvos (2,2-dichlorovinyl dimethyl phosphate)	18.6%
Related Compounds	
INERT INGREDIENTS:	80.0%
TOTAL	100.0%

## KEEP OUT OF REACH OF CHILDREN CAUTION

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Do not get in mouth. Harmful if swallowed. After prolonged storage, a small amount of liquid may form on strip. Do not get liquid in eyes. Wash hands thoroughly with soap and water after handling strip. Do not use in hospitals or clinic rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in kitchens, restaurants or areas where food is prepared or served. Not to betaken internally by humans or animals.

**FIRST AID** 

	TINOTAID
lf on skin or	Take off contaminated clothing.
clothing:	• Rinse skin immediately with plenty of water for 15-20
	minutes.
	Call a Poison Control Center or doctor for treatment
	advice
If in eyes:	Hold eye open and rinse slowly and gently with water for
	15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes;
	then continue rinsing eye.
	Call a Poison Control Center or doctor for treatment
	advice.
if swallowed:	Call a Poison Control Center or doctor immediately for treatment advice.
	<ul> <li>Have person sip a glass of water, if able to swallow.</li> </ul>
	Do not induce vomiting unless told to do so by a Poison
	Control Center or doctor.
	Do not give anything by mouth to an unconscious
Mark Consumer of	person.
Have product	container or label with you when calling a Poison Control
	or or going for treatment.
	ng emergenciès, phone 24 hours a day:
Transportation	: CHEMTREC1-800-424-9300

# STOP! READ ENTIRE LABEL BEFORE USE

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Remove NUVAN PROSTRIPS+ from sealed bag when ready to use. Place in desired location away from windows and out of reach of children and pets. Drafts, weather and other conditions may affect the performance, but treatment usually lasts for four (4) months. One 65g strip will treat 900-1200 cu. ft. Record the date of installation and replace with a new, fresh, full-strength strip at the end of four (4) months or when effectiveness diminishes.

EPA Reg. No. 5481-554 EPA Est. No. 42836-TX-01 Net Contents: As Marked on Container



Do not use in the food/feed areas of food/feed processing or food/feed manufacturing or food/feed service establishments. Food/feed areas of these establishments where the product is not permitted for use are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups) of food. Serving areas where food is exposed and the facility is in operation are also considered food areas. Non-food/feed areas of these establishments where the product can be used are areas such as garbage rooms, lavatories, floor drains (to sewer) entries and vestibules, offices, locker rooms, machine rooms, boller rooms, utility equipment, garages, mop closets, and product storage (after canning or bottling). This product controls flies, gnats, mosquitoes, moths, silverfish, cockroaches, spiders, beetles, and earwigs and other insects as listed.

Only available in 65 gram and 80 gram pest strip sizes.

NUVAN PROSTRIPS\* is for use by pest management professionals. Place strips in unoccupied areas and other areas that are occupied for less than four hours per day including garages, sheds, attics, crawl spaces, museums, museum collections, animal buildings, barns, storage units, trash bins, grain bins, pest traps, utility boxes, and out houses. Also use strips to control pests around nonperishable packaged, bagged or bulk raw and processed agricultural commodities (including corn, soybeans, grains, cocoa beans and peanuts). When properly placed, PROSTRIPS provide control of pests for up to four months depending upon local conditions. Replace strip with a fresh strip when needed. See below for more detailed instructions.

Each 65 gram strip treats 900-1200 cubic feet of space. Always use the appropriate number of strips for the space intended to be treated. Place strip uniformly in the area to be treated to facilitate a uniform treatment of the space. Strip provides continuous control of pests in treated areas through controlled release technology.

#### HOUSEHOLD, INDUSTRIAL, AND COMMERCIAL USES

For use in unoccupied areas; not for use in homes except garages, attics, crawl spaces and sheds occupied by people for less than 4 hours per day.

Also for use in boathouses, museum collections, animal buildings, reptile houses, motor control rooms, and milk rooms or enclosed areas thereof, occupied by people for less than 4 hours per day.

Also for use in the following unoccupied structures, provided they are unoccupied for more than 4 months immediately following placement of a pest strip: vacation homes, cabins, mobile homes, boats, farm houses, and ranch houses.

# Vacation Homes, Ranch Houses, Farm Houses, Cabins, Mobile Homes, Boats that are unoccupied for more than 4 months immediately following placement of pest strip.

Kills flies, mosquitoes, gnats and other insects as listed for up to four (4) months. Remove from sealed bag and hang or stand, out of reach of children and pets, in an open space of an enclosed area, away from windows. One 65 g strip will treat 900 to 1200 cubic feet which is about equal to an average room 10' x 13' with an 8-foot ceiling for up to four (4) months. In a larger room, if more than one strip is required, keep them at least 10 feet apart. Record the date of installation so that the old strip may be replaced with a new, fresh, full-strength strip at the end of the four (4) month period or when effectiveness diminishes.

#### Garbage Cans, Trash Dumpsters and Trash Receptacles

For control of flying and crawling pests, place the appropriate number of strips within the trash receptacles such as compactors, garbage chutes, garbage rooms, garbage bins, and others. The strip provides control of pests within trash receptacles for up to four months.

#### Animal Buildings Occupied by People for Less than 4 Hours Per Day

Use NUVAN PROSTRIPS+ to control pests in animal buildings occupied by people for less than four hours per day including stalls, barns, calf parlors, hog parlors, milk rooms, kennels, pens, poultry houses, manure storage, stables, tack room and other such areas. Do not contaminate milk. Place strip in manure collection areas such as beneath egg layers and broilers but do not allow strip to be placed in areas directly occupied by poultry. Place the appropriate number of strips for the space to be treated. Strip will control pests for up to four months.

#### Milk Rooms Occupied by People for Less than 4 Hours Per Day

Controls flies, mosquitoes and gnats in milk rooms and bulk storage rooms. DO NOT contaminate milk or milking equipment.

#### Agricultural Commodities

Use NUVAN PROSTRIPS+ to control pests of non-perishable agricultural commodities, grains, bulk foodstuffs, packaged foods and other similar is. Do not contaminate foods. Place the appropriate number of strips the headspace (volume) to be treated. The strip will control pests for up to four months.

#### **Catch Basins**

Use NUVAN PROSTRIPS+ to control mosquitoes and other pests in Catch Basins where water accumulates and mosquitoes may breed. Place the appropriate number of strips for the space to be treated. Place strip by suspending about ten inches above the water surface to control mosquitoes. The strip may control mosquitoes for up to four months.

#### **Enclosed Utility Boxes and Utility Chases**

Use NUVAN PROSTRIPS+ to control ants (including fire ants), spiders, wasps, hornets and other pests within electric junction boxes, plumbing control boxes, pump houses and other such utility boxes as needed. Place the proper number of strips for the space to be treated. The strip will control pests for up to four months.

## Reptile Houses and Terrariums Occupied by People for Less than 4 Hours Per Day

Use NUVAN PROSTRIPS+ to control mites on reptiles and other pests in reptile enclosures, displays, reptile houses, and terrariums. Place strip such that the reptile and desired animals within the enclosure or terrarium will not come in direct contact with the strip. Do not over treat. The strip is NOT intended for treatment of aviaries or birdcages. Place the appropriate number of strips in a suitable place to provide control. The strip must be removed after the 48 hour treatment interval.

#### Museum Collections Occupied by People for Less than 4 Hours Per Day

Use strip to protect museum collections and other similar materials from damaging pests when this is a concern. Place strip in close proximity or within collection boxes using care to avoid contact with collectable and able items.

## Attics, Garages, Sheds, and Enclosed Crawl Spaces Occupied by People for Less than 4 Hours Per Day

Kills flies and other insects as listed for up to four (4) months. Remove from sealed bag and hang or stand, out of reach of children and pets, in an open space of an enclosed area, away from windows. One 65 g strip will treat 900 to 1200 cubic feet which is about equal to an average room 10 x 13' with an 8-foot ceiling for up to four (4) months. In a larger room, if more than one strip is required, keep them at least 10 feet apart. Record the date of installation so that the old strip may be replaced with a new, fresh, full-strength strip at the end of the four (4) month period or when effectiveness diminishes.

#### For Control of Bedbugs and Bedbug Eggs

NUVAN PROSTRIPS+ may be used to control crawling bedbug nymphs and adults exposed to product vapors for 48 hours. In difficult to treat areas, a minimum treatment time of 72 hours will provide better results. The strip may be used to control bedbugs that have entered various items in an infested structure including, but not limited to: electronics, appliances, footwear, art work, collectibles, plush toys, clocks, radios, wall hangings, telephones, computers, printers, mattresses, box springs, books, lamps, furniture and other such items. Place infested items in a container or room that is closed in a manner to contain the strip vapors during treatment. The sealed volume for treatment should not exceed the volume to be treated for the size of the strip used. Multiple strips can be used in a large space and should be distributed uniformly over the space being treated. Take care to avoid direct contact of the strip with the surface of items being treated. Seal items in the treatment for a minimum of 48 hours to kill bedbug nymphs and adults. To kill any bedbug eggs, seal items in the treatment space for seven days if bedbug eggs are suspected to be present. The presence of air space or volume within the sealed treatment space is desirable to enhance the exposure to the product vapors. Identify sealed treatment has by label indicating a pesticide treatment is in process that should

be disturbed by unauthorized persons and the label should include the date, pest professional person or company responsible and contact telephone number. When treatment is completed, remove treated items from the treatment in a well ventilated area and air out for a period of not less than two hours.

#### How much space will one strip treat?

Strip Size	Strip Size Treats Approx. Equivalent to Area	
65 grams	900 to 1,200 cu. ft.	8' x 10' x 11' = 880 cu. ft.

Always use the appropriate size and number of strips for the space being treated. If more than one is required, distribute them over the space equally.

#### STORAGE AND DISPOSAL

Nonrefillable container. Storage: Do not contaminate water, food or feed by storage or disposal. Do not open or remove from package before ready to install. Store in a cool dry place. Disposal: If empty: Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product-down any indoor or outdoor drain.

#### LIMITED WARRANTY AND DISCLAIMER

The manufacturer warrants (a) that this product conforms to the chemical description on the label; (b) that this product is reasonably fit for the purposes set forth in the directions for use, subject to the inherent risks referred to herein, when it is used in accordance with such directions; and (c) that the directions, warnings, and other statements on this label are based upon responsible experts' evaluations of reasonable tests of effectiveness, of toxicity to laboratory animals and to plants and residues on food crops, and upon reports of field experience. Tests have not been made on all varieties of food crops and plants, or in all states of under all conditions.

THERE ARE NO EXPRESS WARRANTIES OTHER THAN THOSE SET FORTH HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE MANUFACTURER NEITHER MAKES NOR INTENDS, NOR DOES IT AUTHORIZE ANY AGENT OR REPRESENTATIVE, TO MAKE ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, AND IT EXPRESSLY EXCLUDES AND DISCLAIMS ALL IMPLIED WARRANTIES OF MERCHANTABILITY OF FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY OF GUALITY OR PERFORMANCE. THIS WARRANTY DOES NOT EXTEND TO, AND THE BUYER SHALL BE SOLELY RESPONSIBLE FOR, ANY AND ALL LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS OR CAUTIONS.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW BUYER'S EXCLUSIVE REMEDY AND MANUFACTURER'S OR SELLER'S EXCLUSIVE LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF, OR THE REPAYMENT OF THE PURCHASE PRICE FOR, THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW MANUFACTURER OR SELLER SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

AMVAC offers this product, and Buyer accepts it, subject to the foregoing Limited Warranty which may be varied only by agreement in writing signed by an authorized representative of AMVAC.

Proposition 65: Warning: This product contains a chemical known to the State of California to cause cancer.

AMVAC Chemical Corporation 4100 E. Washington Boulevard Los Angeles, CA 90023 USA. www.amvac-chemical.com 1-323-264-3910



AMVAC MSDS No.: 194\_15

### MATERIAL SAFETY DATA SHEET

#### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME(S): NUVAN® Pro Strips; NUVAN® Large Pro Strip; ALCO® Small NO-PEST STRIP; AMVAC Small INSECT STRIP; ALCO® Small PEST STRIP; SWAT PEST STRIP; ALCO® Large NO-PEST STRIP; AMVAC Large INSECT STRIP; ALCO® Large PEST STRIP; AMVAC Large Strips AMVAC Large Pro Strips

Insect Strip; AMVAC Small Pro Strip; AMVAC Large Pro Strip

GENERAL USE: Insecticide

PRODUCT DESCRIPTION: Yellow plastic strip with a mild chemical odor

EPA Registration Number(s): 5481-338; 5481-344; 5481-348; 5481-531; 5481-532; 5481-533; 5481-334;

5481-553; 5481-554

HEALTH CANADA Reg. No.: Not registered in Canada

MSDS No.: 194 15

MSDS Revision Date: 16 June, 2008

MANUFACTURER: AMVAC CHEMICAL CORPORATION

4100 E. Washington Blvd. Los Angeles, CA 90023-4406

Ph: 323-264-3910

FAX: 323-268-1028

**EMERGENCY TELEPHONE NUMBERS:** 

MANUFACTURER: 323-264-3910 TRANSPORTATION (24 HOURS)

CHEMTREC: 800-424-9300

OTHER (24 HOURS)

AMVAC: 323-264-3910

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT	WT %	CAS No.
2,2-Dichlorovinyl dimethyl phosphate (DDVP, DICHLORVOS)	18.6% <b>-</b> 20%	62-73-7
Other Ingredients	80% - 81.4%	

#### OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)

COMPONENT	HAZARD	OSHA PEL*	ACGIH TLV*
2,2-Dichlorovinyl dimethyl phosphate (DDVP)	POISON Cholinesterase inhibitor; Possible carcinogen	1.0 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>

Exposure Limits 8 hrs. TWA (ppm)

AMVAC MSDS No.: 194\_15

#### 3. <u>HAZARDS IDENTIFICATION</u>

#### **EMERGENCY OVERVIEW:**

CAUTION: Contains a Cholinesterase Inhibitor. Repeated inhalation or skin contact with Dichlorvos (DDVP) may, without symptoms, progressively increase susceptibility to Dichlorvos (DDVP) poisoning.

May be Toxic to fish, birds, and other wildlife when exposed to large quantities of strips.

#### POTENTIAL HEALTH EFFECTS

- ROUTE(S) OF ENTRY: Under normal use conditions the amount of DDVP given off by the product described in this MSDS is not sufficient to cause ingestion, skin, eye or inhalation hazards. However, under extreme conditions this product may be fatal if sufficient DDVP is absorbed through the eye or skin, is ingested or is inhaled. Overexposure may produce acute cholinesterase depression.
- SIGNS OF ACUTE OVEREXPOSURE: Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive sweating, salivation and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusion; in extreme cases, unconsciousness, convulsions, severe respiratory depression and death may occur.
- SIGNS OF CHRONIC OVEREXPOSURE: Repeated exposures to small doses of DDVP and other organophosphates may lower the cholinesterase to levels where the above symptoms of acute overexposure are observed.
- CARCINOGENICITY: EPA under its 1999 proposed Guidelines for Carcinogen Risk Assessment has classified DDVP as having "suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential." IARC lists DDVP (Dichlorvos) as being possibly carcinogenic to humans (Group 2B). CARE SHOULD BE EXERCISED IN HANDLING DDVP AND ITS FORMULATIONS.
- MEDICAL CONDITIONS POTENTIALLY AGGRAVATED BY EXPOSURE: Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) genetic cholinesterase deficiency; advanced liver disease; chronic alcoholism; malnutrition; dermatomyositis; existing toxicity from exposure to carbon disulfide; benzalkonium salts, organic mercury compounds, ciguatoxins or solanines; and (for RBC) hemolytic anemias.

#### 4. FIRST AID MEASURES

#### DDVP IS A CHOLINESTERASE INHIBITOR. A PHYSICIAN SHOULD BE CONTACTED IN ALL CASES OF SUSPECTED OVEREXPOSURE TO DDVP AND ITS FORMULATIONS.

- EYES: Immediately flush the eyes with copious amounts of clear, cool running water for a minimum of 15 minutes. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. Contact a physician immediately. If there will be a delay in getting medical attention, rinse the eyes for at least another 15 minutes.
- INHALATION: Remove victim to fresh air. If breathing has ceased, clear the victim's airway and start mouth-to-mouth artificial respiration. If breathing is difficult, give oxygen. Contact a physician immediately.
- INGESTION: Induce vomiting immediately by giving two glasses of water and sticking a finger down the throat. Never give anything by mouth to an unconscious person. Contact a physician immediately.
- SKIN: Immediately flush all affected areas with large amounts of clear water for at least 15 minutes. Remove contaminated clothing. Do not attempt to neutralize with chemical agents. Wash clothing before reuse. If skin irritation develops, contact a physician immediately.

#### ATTENTION: EXAMINING PHYSICIAN - Special medical Considerations:

This product contains an Organophosphate (OP) Insecticide. However, it is the opinion of the manufacturer/supplier, and their Occupational Medical consultant, that any significant exposure to this OP Insecticide is highly unlikely. Based upon the formulation of the pest strip, the individual's contact with the OP is extremely limited by design. Therefore, the examining Physician should exercise prudent judgment in determining the causation of the patient's symptoms - taking care to not overlook multiple other etiologies of the patient's symptoms. In the USA and other countries, contact your local or national poison control center for more information. If it is established that OP poisoning has occurred, the following steps are recommended.

Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice. Moderately severe poisoning: use 0.4-2.0 mg in adults or 0.05 mg/kg in children. Repeat every 15 minutes until atropinization is achieved. Severe poisoning may require larger doses. Cholinergic toxicity may recur as atropinization wears off; monitor patient closely. Draw blood for RBC and plasma cholinesterase. In addition, Pralidoxime (2-PAM) is indicated during the first 36 hours in severe poisonings. Slow IV administration (no less than 2 minutes) of 1 gm in adults or 20-50 mg/kg in children may be repeated in 1 to 2 hours if muscle weakness, twitching, and/or respiratory depression persist. Avoid morphine, aminophylline, phenothiazines, reserpine, furosemide and ethacrynic acid.

Bathe and shampoo contaminated skin and hair. If ingested, empty stomach. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) followed by water (2 glasses for adults, 1 glass for children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed endotracheal tube.

AMVAC MSDS No.: 194 15

#### 5. <u>FIRE FIGHTING MEASURES</u>

#### FLAMMABLE PROPERTIES

Flash Point: Not applicable

Autoignition Temperature: Not available

Flammable Limits:

Lower flammable limit: None established Upper flammable limit: None established

Flammability: This is a combustible solid that will support fire if it is preheated (NFPA

rating = 1

#### **EXPLOSIVITY**

Mechanical Impact:

Not explosive

Static Discharge:

Will not occur

HAZARDOUS COMBUSTION PRODUCTS: This product will emit toxic fumes when burned, including hydrogen chloride and carbon monoxide. Vapors of the unburned product may also be hazardous. Contact with the fumes and vapors should be avoided by staying upwind and by wearing impervious clothing and full face respirators..

EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, foam, water fog.

**FIRE FIGHTING INSTRUCTIONS:** Evacuate the area. Use self-contained breathing apparatus. Water spray and fog may be helpful in reducing flame intensity and absorbing irritating fumes. Treated area should be diked to prevent runoff.

#### 6. ACCIDENTAL RELEASE MEASURES

- GENERAL: Clean up spilled strips immediately. Strips that have been dropped should be picked up for reuse or disposal. If the strips are in their foil packages no safety equipment is required. Simply pick up the strips and store until ready to use.
- **SMALL SPILL:** For a single unwrapped strip no special protective measures are required. Either rehang the strip or dispose of it according to the procedure listed under waste disposal. Be sure to wash thoroughly with soap and water after handling the strip.
- LARGE SPILL: Use personal protective equipment (section 8) to prevent contact with the unwrapped strips. Pick up the spilled strips and place them into closed containers. Clean up the area by treating it with dilute ammonia or caustic solution (5% solution). Prevent runoff from getting into local water supplies. Absorb the wash liquid on solid absorbent such as Kitty Litter, and place the waste into a sealed container for disposal.

Page 5 of 9

AMVAC MSDS No.: 194 15

#### 7. HANDLING AND STORAGE

**HANDLING:** Avoid contact with skin, eyes, or clothing. Wash hands, face and arms before eating or handling food. Store in original unopened container, away from foodstuffs and feed. Avoid areas of extreme heat. Keep away from small children.

STORAGE: Store in original unopened package until ready to use. Keep away from heat and store away from children, foodstuffs, and feed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** General ventilation is sufficient for use of this product. During manufacture of this product sufficient ventilation is required to keep exposures to levels below the TLV.

**RESPIRATORY PROTECTION:** A properly <u>FIT-TESTED</u> NIOSH/MSHA approved respirator fitted with organic vapor cartridges is required during manufacture of this product if the ventilation is insufficient to keep exposures below the TLV. Under homeowner use conditions no respiratory protection is required.

SKIN PROTECTION: Impervious, usually rubber or nitrile, gloves are required for prolonged or repeated exposures to this product. Production workers should wear long-sleeved shirt and long pants; waterproof gloves; and shoes plus socks. Follow manufacturer's instructions for cleaning/ maintaining personal protection equipment (PPE). If no such instructions are available, use detergent and hot water. Keep and wash PPE separately from other laundry. Do not reuse contaminated clothing until it has been laundered properly. Always wash hands, face and arms with soap and water after using pesticides before smoking, eating, drinking or going to the toilet. Shower after work each day. Homeowners and other users of individual strips should wear gardening gloves or other chemical resistant gloves when handling the strips. Wash thoroughly after handling the strips.

**EYE PROTECTION:** Eye protection is not needed for ordinary use of this product. Safety glasses with sideshields are required for prolonged or repeated exposures to this product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

Solid

**APPEARANCE:** 

Yellow plastic strip

ODOR:

Mild chemical odor

ODOR THRESHOLD:

Not available

**BOILING POINT:** 

Not applicable

FREEZING/MELTING POINT:

Not available

SPECIFIC GRAVITY:

 $1.26 \text{ g/cm}^3$ 

DENSITY:

68.66 lb/ft3

VAPOR PRESSURE (mm/Hg):

0.01

## NUVAN® PRO STRIPS; ALCO® SMALL NO-PEST STRIP

AMVAC LARGE PRO STRIP AMVAC MSDS No.: 194\_15

#### 9. PHYSICAL AND CHEMICAL PROPERTIES, cont'd

VAPOR DENSITY:

Heavier than air

PERCENT VOLATILE BY VOL:

18.6% Negligible

SOLUBILITY IN WATER: SOLUBILITY (Other):

This product is soluble in aromatic solvents

PARTITION COEFFICIENT (O/W):

Not applicable

pH

Not applicable

**EVAPORATION RATE:** 

10 to 100 mg/day of DDVP

#### 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY (Conditions to avoid): Stable under normal use and storage conditions.

INCOMPATIBILITY: Strong acids, oxidizers, and strong bases.

HAZARDOUS DECOMPOSITION PRODUCTS: Heating to decomposition will cause emission of acrid smoke and fumes of hydrogen chloride, phosphorous oxides, and carbon oxides.

HAZARDOUS POLYMERIZATION: This product will not polymerize.

#### 11. TOXICOLOGICAL INFORMATION

**GENERAL:** The following information is available for the finished product(\*) or for the technical material:

**INGESTION:** 

Oral LD<sub>50</sub> (rat):

679/382 (male/female) mg/kg\*

INHALATION:

Inhalation LC<sub>50</sub> (rat):

 $> 200 \text{ mg/m}^3 (1 \text{ hr, nose only})*$ 

DERMAL:

Skin LD<sub>50</sub> (rabbit):

27400 mg/kg (intact abdominal skin)\*

**IRRITATION:** 

Eye irritation:

Irritant Irritant

SENSITIZATION:

Skin irritation:

Possible Sensitizer

(guinea pig)

Skin sensitization:

- .....

**TERATOGENICITY**: No evidence of teratogenicity in laboratory animals exposed to DDVP technical.

**MUTAGENICITY:** No clear evidence of *in vivo* mutagenicity activity in mammalian assay systems from exposure to DDVP.

CARCINOGENICITY: Two laboratory studies have shown a low incidence of forestomach tumors in the mouse and mononuclear cell leukemia in the F344 rat. EPA under its 1999 proposed Guidelines for Carcinogen Risk Assessment has classified DDVP as having "suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential." IARC lists DDVP (Dichlorvos) as being possibly carcinogenic to humans (Group 2B). CARE SHOULD BE EXERCISED IN HANDLING DDVP AND ITS FORMULATIONS.

Page 7 of 9

AMVAC MSDS No.: 194\_15

#### 11. TOXICOLOGICAL INFORMATION, cont'd

**REPRODUCTIVE TOXICITY:** Reproductive effects to DDVP have only been seen at a dose level which produced a generalized toxicity in the rat.

TOXICOLOGICALLY SYNERGISTIC PRODUCTS: No data available.

#### 12. ECOLOGICAL INFORMATION

**GENERAL**: This product may be toxic to fish, birds, and other wildlife when large quantities of strips are involved.

#### 13. <u>DISPOSAL CONSIDERATIONS</u>

GENERAL: As a household waste, the spent strip should be wrapped in paper, placed in a sealed plastic bag, and put into the trash. If large numbers of strips are to be discarded the local authorities or the EPA should be contacted to find out the current regulations.

#### 14. TRANSPORTATION INFORMATION

DOT CLASS: 9

UN NUMBER: UN3077

IATA CLASS (air): 9

IMDG CLASS (sea): 9

ADR CLASS (road): 9

PACKING GROUP: III

MARINE POLLUTANT: Yes

HAZARD LABEL(s): Cla

PROPER SHIPPING NAME(s): Environmentally Hazardous Substances, Solid,

N.O.S. (20% Dichlorvos)

REPORTABLE QUANTITY: No

<u>PACKAGING</u>

GENERAL DESCRIPTION Individual foil pouches; Case quantities of pouches

packed in fiberboard box.

**Note:** This product is not regulated when shipped by air or ground in non-bulk packaging. When shipped by vessel or in bulk packaging this product is regulated according to the data shown.

AMVAC MSDS No.: 194\_15

### 15. <u>REGULATORY INFORMATION</u>

U.S. FEDERAL REGULATIONS: This product is registered under EPA/FIFRA Regulations. It is a violation of Federal Law to use this product in any manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

**EUROPEAN UNION REGULATIONS:** This product is subject to all European Union Regulations for the use of pesticides. Read and follow all label directions.

#### SARA TITLE III DATA

#### Section 311 & 312 Hazard Categories:

Immediate Health Hazard: Yes
Delayed Health Hazard: Yes
Fire Hazard: No
Reactive Hazard: No
Sudden Pressure Release Hazard: No

Section 302 Extremely Hazardous Substances:

DDVP (CAS No. 62-73-7) - TPQ 1000 lbs

Section 313 Toxic Chemicals: DDVP (CAS No. 62-73-7)

CERCLA/EHS Reportable Quantities (RQ): DDVP - 10 lbs; Product - 50 lbs

#### STATE REGULATIONS:

CALIFORNIA (Proposition 65): This product contains a chemical known to the State of California to cause cancer: DDVP

#### 16. OTHER INFORMATION

#### MSDS STATUS:

Date This Revision: 16 June, 2008
Date Previous Revision: 27 May, 2008

Person Responsible for Preparation: Gary A. Braden

**REASONS FOR REVISION:** Subsequent review of the transportation information after the previous revision was completed resulted in changes in the transportation information.

believes that the information is, as of the date hereof, reliable, it is the user's responsibility to determine the suitability of the information for its purposes. The user is advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional, or variable conditions or circumstances exist (like combinations with other materials), or because of applicable regulations. No express or implied warranty of merchantability or fitness for a particular purpose or otherwise is made hereunder with respect to the information or the product to which the information relates.

Page 9 of 9

AMVAC MSDS No.: 194\_15

### 16. OTHER INFORMATION, cont'd

#### **ABBREVIATIONS:**

ACGIH	-	American Conference of Governmental Industrial Hygienists
CERCLA	-	Comprehensive Environmental Response, Compensation, and
		Liability Act
EPA	-	Environmental Protection Agency
FIFRA	-	Federal Insecticide, Fungicide, and Rodenticide Act
IARC	-	International Agency for Research on Cancer
NTP	-	National Toxicology Program
OSHA	-	Occupational Safety and Health Administration
SARA	-	Superfund Amendments and Reauthorization Act
TSCA	-	Toxic Substances Control Act

This is the last page of this MSDS. There should be 9 pages.